



TEGERA® 9180

Anti-vibration glove, unlined, Microthan®, Vibrothan®, polyester, Cat. II, black, grey, yellow, reinforced index finger, reinforced fingertips, chrome free, Velcro®, for heavy work

PROPERTIES

Flexible, excellent grip, good fit, extra comfortable

SPECIFICATION

TYPE OF GLOVE Anti-vibration gloves

CATEGORY Cat. II

SIZE RANGE 7, 8, 9, 10, 11, 12

PALM MATERIAL Microthan®, Vibrothan®

BACK MATERIAL Polyester

LINING Unlined

DEXTERITY 5

FASTENING Velcro®

LENGTH RANGE 210-242 mm

COLOUR Black, grey, yellow

PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Hook with hangtag

MATERIAL SPECIFICATION Polyurethane, natural latex, polyester, nylon

MicroThan®+

VIBROTHAN®

SIZE	ART. NO.	EAN NO.
7	9180-7	7392626033498
8	9180-8	7392626033504
9	9180-9	7392626033511
10	9180-10	7392626033528
11	9180-11	7392626033535
12	9180-12	7392626036130

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 9180

FEATURES

Vibration-reducing according to EN ISO 10819, chrome free, reinforced index finger, reinforced seams, reinforced fingertips, padded palm, pre-curved fingers, specially designed thumb, short model, ergonomically shaped, specially designed details

PRIMARY PROTECTION

Prevents risk of: chrome allergy, vibration injuries, abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt

PRIMARY ENVIRONMENTS OF USE

Harsh environments

PRIMARY INDUSTRIES OF USE


Mining, machinery and equipment, MRO, automotive, building and construction

TYPE OF WORK

Heavy weight



CE Cat. II



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2015-06-10

2(3)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 9180

EC TYPE EXAMINATION

Notified Body: 0321 SATRA Technology Centre, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD, United Kingdom

COMPLIANCE DESCRIPTION

EN 420:2003 Protective gloves - general requirements and test methods

EN 388:2003 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
A) Resistance to wear (No. of revolutions)	0	(4)
B) Resistance to cutting (Index)	2	(5)
C) Tear resistance (Newton)	2	(4)
D) Puncturing resistance (Newton)	2	(4)


EN 388 - Testing (specifies the requirements that apply for each safety level).

Level of protection	1	2	3	4	5
A) Resistance to wear (No. of revolutions)	100	500	2000	8000	
B) Resistance to cutting (Index)	1,2	2,5	5,0	10,0	20,0
C) Tear resistance (Newton)	10	25	50	75	
D) Puncturing resistance (Newton)	20	60	100	150	

EN ISO 10819:1997 Mechanical vibration and shock



CE Cat. II



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2015-06-10

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com